Attorney's Docket No.: 07917-212001 / UMMC 03-102



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

cant: Stern et al.

Art Unit : 1632

Examiner: Unknown

Filed

: April 14, 2004

Title

: MAJOR HISTOCOMPATIBILITY COMPLEX (MHC)-PEPTIDE ARRAYS

MAIL STOP AMENDMENT Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Applicants submit the references listed on the attached form PTO-1449.

This statement is being filed before the receipt of a first Office action on the merits. Please apply any charges or credits to Deposit Account No. 06-1050, referencing Attorney Docket No. 07917-212001.

Respectfully submitted,

Date: 7 - 12 - 200

Fish & Richardson P.C. 225 Franklin Street Boston, MA 02110-2804

Telephone: (617) 542-5070

Facsimile: (617) 542-8906

20896444.doc

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, P.Q. Box 1450, Alexandria, VA 22313-1450.

Date of Deposit

Signature

Typed or Printed Name of Person Signing Certificate

	EEIG.
WE THAN	Substitute Form PTO-1449
	Information

U.S. Department of Commerce Patent and Trademark Office

Application No. Attorney's Docket No. 07917-212001

10/823,866

Information Disclosure Statement by Applicant

(Use several sheets if necessary)

Applicant Stern et al.,

Group Art Unit

(37 CFR §1.98(b))

Filing Date April 14, 2004 1632

	U.S. Patent Documents						
Examiner Initial	Desig. ID	Document Number	Publication Date	Patentee	Class	Subclass	Filing Date If Appropriate
	A1	US 2003/0044389 A1	03/06/2003	Brown et al.	424	93.7	
	A2						

	Foreign Patent Documents or Published Foreign Patent Applications							
Examiner	Desig.	Document	Publication	Country or			Trans	slation
Initial	ID	Number	Date	Patent Office	Class	Subclass	Yes	No
	B1							
	B2							

	Other Documents (include Author, Title, Date, and Place of Publication)			
Examiner	Desig.			
Initial	ID	Document		
	C1	Altman et al., "Phenotypic analysis of antigen-specific T lymphocytes," Science 274(5284):94-96 (1996)		
	C2	Baum and Staines, "MHC-derived peptides and the CD4+ T-cell repertoire: Implications for autoimmune disease," Cytokines Cell Mol. Ther. 3(2):115-126 (1997)		
	C3	Brusic et al., "MHCPEP, a database of MHC-binding peptides: update 1997," Nucleic Acids Res. 26(1):368-371 (1998)		
	C4	Cameron et al., "Labeling antigen-specific CD4(+) T cells with class II MHC oligomers," J. Immunol. Methods 268(1):51-69 (2002)		
	C5	Cantrell, "T-cell antigen receptor signal transduction," Immunology 105(4):369-374 (2002)		
	C6	Carvalho et al., "ELISPOT assay to measure antigen-specific murine CD8(+) T cell responses," J. Immunol. Methods 252(1-2):207-218 (2001)		
	C7	Chicz et al., "Predominant naturally processed peptides bound to HLA-DR1 are derived from MHC-related molecules and are heterogeneous in size," <i>Nature</i> 358(6389):764-768 (1992).		
	C8	Constantin et al., "Major Histocompatibility Complex (MHC) tetramer technology: an evaluation," Biol. Res. Nurs. 4(2):115-127 (2002)		
	C9	Czerkinsky et al., "A solid-phase enzyme-linked immunospot (ELISPOT) assay for enumeration of specific antibody-secreting cells," <i>J. Immunol. Methods</i> 65(1-2):109-121 (1983)		
	C10	Czerkinsky et al., "Reverse ELISPOT assay for clonal analysis of cytokine production. I. Enumeration of gamma-Interferon-secreting cells," <i>Immunol. Methods</i> 110:29-36 (1988)		
	C11	Davis et al., "Ligand recognition by alpha beta T cell receptors," Annu. Rev. Immunol. 16:523-544 (1998)		
	C12	ElGhazali et al., "Number of interleukin-4- and interferon-γ-secreting human T cells reactive with tetanus toxoid and the mycobacterial antigen PPD or phytohemagglutinin: distinct response profiles depending on the type of antigen used for activation," Eur. J. Immunol. 23:2740-2745 (1993)		
	C13	Ewen and Baca-Estrada, "Evaluation of interleukin-4 concentration by ELISA is influenced by the consumption of IL-4 by cultured cells," J. Interferon Cytokine Res. 21:39-43 (2001)		
	C14	Gabrielsson et al., "Specific induction of interleukin-4-producing cells in response to in vitro allergen stimulation in atopic individuals," Clin. Exp. Allergy 27:808-815 (1997)		
Examiner Sigr	nature	Date Considered		

EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Substitute Form PTO-1449 U.S. Department of Commerce (Modified) Patent and Trademark Office		Attorney's Docket No. 07917-212001	Application No. 10/823,866	
Information Disclosure Statement by Applicant		Applicant Stern et al.,		
(Use several sh	eets if necessary)	Filing Date April 14, 2004	Group Art Unit 1632	

	Other Documents (include Author, Title, Date, and Place of Publication)			
Examiner Initial	Desig. ID	Document		
muu	C15	Germain, "MHC-dependent antigen processing and peptide presentation: providing ligands for T lymphocyte activation," Cell 76(2):287-299 (1994)		
	C16	Geysen et al., "Use of peptide synthesis to probe viral antigens for epitopes to a resolution of a single amino acid," Proc. Natl. Acad. Sci. USA 81(13):3998-4002 (1984)		
	C17	Gorga et al., "Purification and characterization of class II histocompatibility antigens from a homozygous human B cell line," J. Biol. Chem. 262(33):16087-16094 (1995)		
	C18	Grey et al., "Class I MHC-peptide interactions: structural requirements and functional implications," Cancer Surv. 22:37-49 (1995)		
	C19	Hammer et al., "HLA class II peptide binding specificity and autoimmunity," Adv. Immunol. 66:67-100 (1997)		
	C20	Hartemann et al., "Abscence of significant Th2 response in diabetes-prone non-obese diabetic (NOD) mice," Clin. Exp. Immunol. 116:225-230 (1999)		
	C21	Hennecke and Wiley, "T cell receptor-MHC interactions up close," Cell 104(1):1-4 (2001)		
	C22	Huang et al., "Increased levels of circulating acetylcholine receptor (AChR)-reactive IL-10-secreting cells are characteristic for myasthenia gravis (MG)," Clin. Exp. Immunol. 118:304-308 (1999)		
	C23	Hunt et al., "Characterization of peptides bound to the class I MHC molecule HLA-A2.1 by mass spectrometry," Science 255(5049):1261-1263 (1992)		
	C24	Janeway et al., "Appendix III. Cytokines and their receptors," Immuno Biology 5, Garland Publishing (2001)		
	C25	Kabilan et al., "Detection of intracellular expression and secretion of Interferon-γ at the single-cell level after activation of human T cells with tetanus toxoid <i>in vitro</i> ," <i>Eur. J. Immunol.</i> 20:1085-1089 (1990)		
	C26	Kwok et al., "Use of class II tetramers for identification of CD4+ T cells," J. Immunol. Methods 268(1):71-81 (2002)		
	C27	Lalvani et al., "Enhanced contact tracing and spatial tracking of Mycobacterium tuberculosis infection by enumeration of antigen-specific T cells," Lancet 357:2017-2021 (2001)		
	C28	Lalvani et al., "Potent induction of focused Th1-type cellular and humoral immune responses by RTS,S/SBAS2, a recombinant <i>Plasmodium falciparum</i> malaria vaccine," <i>J. Inf. Dis.</i> 180:1656-1664 (1999)		
	C29	Lalvani et al., "Rapid effector function in CD8+ memory T cells," J. Exp. Med. 186:859-865 (1997)		
	C30	Lang et al., "A functional and structural basis for TCR cross-reactivity in multiple sclerosis," Nat. Immunol. 3(10):940-943 (2002)		
	C31	Mashishi and Gray, "The ELISPOT assay: an easily transferable method for measuring cellular responses and identifying T cell epitopes," Clin. Chem. Lab. Med. 40(9):903-910 (2002)		
	C32	Mathioudakis et al., "Multiparameter cytokine-specific affinity matrix assay for the determination of frequencies and phenotype of antigen-reactive T cells," J. Immunol. Methods 260(1-2):37-42 (2002)		
	C33	Medhat et al., "Increased interleukin-4 and interleukin-5 production in response to schistosoma haematobium adult worm antigens correlates with lack of reinfection after treatment," J. Infect. Dis. 178:512-519 (1998)		

Examiner Signature	Date Considered
Zicirimio. Giginaturo	
EXAMINER: Initials citation considered. Draw line through citation if no	t in conformance and not considered. Include copy of this form with

next communication to applicant.

Substitute Form PTO-1449 (Modified) U.S. Department of Commerce Patent and Trademark Office		Attorney's Docket No. 07917-212001	Application No. 10/823,866	
Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Stern et al.,		
		Filing Date April 14, 2004	Group Art Unit 1632	

[(Other Documents (include Author, Title, Date, and Place of Publication)				
Examiner	Desig.				
Initial	ID .	Document			
		Merville et al., "Detection of single cells secreting IFN-gamma, IL-6 and IL-10 in irreversibly			
	C34	rejected human kidney allografts, and their modulation by IL-2 and IL-4," Transplantation 55:639-646 (1993)			
	C35	Munk et al., "Increased numbers of interleukin-12-producing cells in human tuberculosis," Infect. Immun. 64:1078-1080 (1996)			
	C36	Novitsky et al., "Identification of human immunodeficiency virus type 1 subtype C Gag-, Tat-, Rev-, and Nef-specific Elispot-based cytotoxic T-lymphocyte responses for AIDS vaccine design," J. Virol. 75:9210-9228 (2001)			
	C37	Olsson et al., "Autoreactive T lymphocytes in multiple sclerosis determined by antigen-induced secretion of Interferon-γ," J. Clin. Invest. 86:981-985 (1990)			
	C38	Özenci et al., "IL-12 ELISpot assays to detect and enumerate IL-12 secreting cells," Cytokine 12:1218-1224 (2000)			
	C39	Perelson, "Modeling viral and immune system dynamics," Nat. Rev. Immunol. 2(1):28-36 (2002)			
	C40	Prakken et al., "Artificial antigen-presenting cells as a tool to exploit the immune 'synapse'," Nature Medicine 6(12):1406-1410 (2000)			
	C41	Qian and Weiss, "T cell antigen receptor signal transduction," Curr. Opin. Cell. Biol. 9(2):205-212 (1997)			
	C42	Reich et al., "Self peptides isolated from MHC glycoproteins of non-obese diabetic mice," J. Immunol. 152(5):2279-2288 (1994)			
	C43	Rietz and Chen, "New B7 Family Members with Positive and Negative Costimulatory Function," American J. of Transplantation 4:8-14 (2004)			
	C44	Robinson et al., "IMGT/HLA databasea sequence database for the human major histocompatibility complex," Tissue Antigens. 55(3):280-287 (2000)			
	C45	Robinson et al., "IMGT/HLA Databasea sequence database for the human major histocompatibility complex," Nucleic Acids Res. 29(1):210-213 (2001)			
	C46	Robinson et al., "IMGT/HLA and IMGT/MHC: sequence databases for the study of the major histocompatibility complex," Nucleic Acids Res. 31(1):311-314 (2003)			
	C47	Rodda, "Peptide libraries for T cell epitope screening and characterization," J. Immunol. Methods 267(1):71-77 (2002)			
_	C48	Rötzschke et al., "Isolation and analysis of naturally processed viral peptides as recognized by cytotoxic T cells," <i>Nature</i> 348(6298):252-254 (1990)			
	C49	Rudolph and Wilson, "The specificity of TCR/pMHC interaction," Curr. Opin. Immunol. 14(1):52-65 (2002)			
	C50	Schneider et al., "A prime-boost immunization regimen using DNA followed by recombinant modified vaccinia virus Ankara induces strong cellular immune responses against the Plasmodium falciparum TRAP antigen in chimpanzees," Vaccine 19:4595-4602 (2001)			
	C51	Schwartz, "Costimulation of T lymphocytes: the role of CD28, CTLA-4, and B7/BB1 in interleukin-2 production and immunotherapy," Cell 71(7):1065-1068 (1992)			
	C52	Soen et al., "Detection and Characterization of Cellular Immune Responses Using Peptide-MHC Microarrays," PloS Biology 1(3):429-438 (2003)			
	C53	Southwood et al., "Several common HLA-DR types share largely overlapping peptide binding repertoires," J. Immunol. 160(7): 3363-3373 (1998)			

Examiner Signature	Date Considered
EXAMINER: Initials citation considered. Draw line through citation if no	t in conformance and not considered. Include copy of this form with
nout communication to configurat	

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 07917-212001	Application No. 10/823,866	
Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Stern et al.,		
		Filing Date April 14, 2004	Group Art Unit 1632	

(Other Documents (include Author, Title, Date, and Place of Publication)			
Examiner Initial	Desig. ID	Document		
	C54	Stern and Wiley, "The human class II MHC protein HLA-DR1 assembles as empty alpha beta heterodimers in the absence of antigenic peptide," Cell 68(3):465-477 (1992)		
-	C55	Taguchi et al., "Detection of individual mouse splenic T cells producing IFN- and IL-5 using the enzyme-linked immunospot (ELISPOT) assay," J. Immunol. Methods 128:65-73 (1990)		
	C56	Van Bleek and Nathenson, "Isolation of an endogenously processed immunodominant viral peptide from the class I H-2Kb molecule," Nature 348(6298):213-216 (1990)		
	C57	Van Epps et al., "Human memory cytotoxic T-lymphocyte (CTL) responses to Hantaan virus infection: identification of virus-specific and cross-reactive CD8(+) CTL epitopes on nucleocapsid protein," J. Virol. 73(7): 5301-5308 (1999)		
	C58	Wang et al., "Induction of CD4+ T-cell-dependent CD8+ type 1 responses in humans by a malaria DNA vaccine," Proc. Natl. Acad. Sci. USA 98:10817 (2001)		
	C59	Wucherpfennig "Structural basis of molecular mimicry," J. Autoimmun. 16(3): 293-302 (2001)		
	C60	Xu and Screaton, "MHC/peptide tetramer-based studies of T cell function," J. Immunol. Methods 268(1):21-28 (2002)		
	C61	Zaru et al., "Cutting edge: TCR engagement and triggering in the absence of large-scale molecular segregation at the T cell-APC contact site," J. Immunol. 168(9):4287-4291 (2002)		
	C62			

Examiner Signature	Date Considered
EXAMINER: Initials citation considered. Draw line through citation if no	t in conformance and not considered. Include copy of this form with